



**कानेपोखरी गाउँपालिका**  
**Kanepokhari Rural Municipality**  
**गाउँ कार्यपालिकाको कार्यालय**  
**Office of the Rural Municipal Executive**  
**भौसाबारी, मोरङ/Bhausabari, Morang**

कोशी प्रदेश, नेपाल  
Koshi Province, Nepal

आ.व.२०८२।०८३

चलानी नं.२४००

श्री सम्बन्धित फर्महरू सवै,



मिति:२०८३।०२।२२


विषय: दररेट पेश गर्ने सम्बन्धमा।

प्रस्तुत विषयमा यस कानेपोखरी गाउँपालिकाको आ.व.२०८२।०८३ को गाउँसभा २० औं अधिवेशनबाट विनियोजित कार्यक्रमका लागि तपसिल बमोजिमको सामग्री खरिद तथा जडान गर्न आवश्यक भएकाले प्राविधिक स्पेशिफिकेशन अनुसारको कोटेशन ३ दिन भित्र दररेट पेश गर्नु हुन गाउँपालिकाको ईमेल मार्फत वा कार्यालयमा उपलब्ध गराईदिनुहुन अनुरोध छ।

तपसिल

s.no.	Item	Rate/pcs	Remarks
1	NVR	1pc	Technical specification बुँदा नं.१ बमोजिम
2	NVR	1pc	Technical specification बुँदा नं.२ बमोजिम
3	IP camera	1 pc	Technical specification बुँदा नं.३ बमोजिम
4	IP camera	1 pc	Technical specification बुँदा नं.४ बमोजिम
5	Poe switch	1 pc	Technical specification बुँदा नं.५ बमोजिम
6	Poe switch	1 pc	Technical specification बुँदा नं.६ बमोजिम
7	Poe switch	1 pc	Technical specification बुँदा नं.७ बमोजिम
8	HD(Harddisk)	1 pc	Technical specification बुँदा नं.८ बमोजिम
9	HD(Harddisk)	1 pc	Technical specification बुँदा नं.९ बमोजिम
10	TV ( Television)	1 pc	Technical specification बुँदा नं.१० बमोजिम
11	Monitor	1 pc	Technical specification बुँदा नं.११ बमोजिम
12	Junction Box	1 pc	Technical specification बुँदा नं.१२ बमोजिम
13	Multiplog	1 pc	Technical specification बुँदा नं.१३ बमोजिम
14	Network cat 6 cable	1 pc	Technical specification बुँदा नं.१४ बमोजिम
15	Wiring and installation	Per point	Technical specification बुँदा नं.१५ बमोजिम

साथै प्राविधिक स्पेशिफिकेशन यस पत्र साथ संलग्न गरिएको व्यहोरा अनुरोध छ।



हिराकुमारी यादव

नोट:

श्री सूचना प्रविधि शाखा यो सूचना पालिकाको website मा upload गरिदिनुहुन।

प्रमुख प्रशासकीय अधिकृत

हिरा कुमारी यादव

प्रमुख प्रशासकीय अधिकृत





Technical specification CCTV camera, accessories and installation

s.no.	Item	Specification	Remarks
1	Network Video Recorder	IP Camera Input	32 Channel or above
		HDMI	3840x2160 support
		VGA	1920x1080 support
		Built-in Speaker	Support
		Max Decoding	4K/5.0MP/4.0MP/1080P/960P/720P 30fps
		Compression	H.265/H.264
		Bandwidth	320Mbps or higher
		SATA	2 x SATA Interface
		Capacity	Support up to 10TB each
		Sync Playback	4ch *1080P or above
		Ethernet	100/1000Mbps
		Network Interface	1 x RJ45 or above
		Interoperability	ONVIF
		USB Interface	2 x USB2.0 or above
2	NVR	Item	Min. 16Channel
		Built-in Speaker	Support
		Bandwidth I/O	80Mbps/80Mbps
		Interface	1 HDMI, 1 VGA
		Resolution	3840x2160 support
		Compression	H.265/H.264
		Interface	1 RJ-45 port (10/100Mbps) or above
		Interoperability	ONVIF
		SATA	2 SATA interfaces or above
		Capacity	Support up to 10TB each
3	IP Camera	Image Sensor :	1/2.9" CMOS Sensor
		Resolution	2304 x 1296 or above
		Led :	4 White LEDs + 4 IR LEDs
		Board Len	3.6mm
		IR Range	upto 40 meters
		Compression Standard	H.265+/H.264
		Audio	Built-in Mic
		Protection	IP67
		Case	Metal +Plastic,
		Power Supply	Built-in PoE
4	IP Camera	Image Sensor :	1/3" CMOS
		Resolution :	3200 x 1800 or above
		Led :	6 IR-LEDs + 6 Warm-LEDs,
		Range:	IR upto 60M,
		Lens :	3.6mm
		Compression Standard	H.264/H.265
		Case:	Plastic+Metal
		Waterproof:	IP67
		Audio :	Built-in 2 Mic and Speaker
		Power Supply :	Built in PoE,
5	poe switch	<ul style="list-style-type: none"> <li>• 16 x PoE+ Ports (10/100Mbps)</li> <li>• 2 x Gigabit Uplink Ports</li> <li>• 2 SFP Slots</li> <li>• PoE Standard: IEEE 802.3</li> </ul>	

2023/02/29


2023-10-29  
 हिरी कुमारी यादव  
 प्रमुख प्रशासकीय अधिकृत

• Led indicator



6	poe switch	<ul style="list-style-type: none"> <li>Maximum PoE Power Budget: 250W</li> <li>Per Port PoE Output: 30W</li> <li>Switching Capacity: 36 Gbps or above</li> <li>8 × PoE+ Ports (10/100Mbps)</li> <li>2 × Gigabit Uplink Ports</li> <li>2 SFP Slots</li> <li>PoE Standard: IEEE 802.3</li> <li>Per Port PoE Output: 30W or above</li> <li>Switching Capacity: 36 Gbps or above</li> </ul>	
7	poe switch	<ul style="list-style-type: none"> <li>4 × PoE+ Ports (10/100Mbps)</li> <li>2 × Gigabit Uplink Ports</li> <li>2 × SFP Slots</li> <li>PoE Standard: IEEE 802.3</li> <li>Maximum PoE Power Budget: 250W</li> <li>Per Port PoE Output: 30W</li> <li>Switching Capacity: 36 Gbps or above</li> </ul>	
8	HD	Capacity	6 TB
		Cache	256 mb
		Rotation speed	5400 rpm or above
		Support	24*7 continuous operation
9	HD	Capacity	6 TB
		Cache	256 mb
		Rotation speed	5400 rpm or above
		Support	24*7 continuous operation
10	TV	43" Android Smart 14.0 Full HD (1920*1080). 1GB RAM 8GB ROM Wifi inbuilt. Ethernet port.	
11	Monitor	Panel Size	22-inch (1920×1080) or above
		Panel Type	LED Backlight
		Panel Resolution	1920 × 1080 (1080p) or above
		Refresh Rate	100Hz or above
		Response Time	5ms
12	Junction Box	protection	IP 66 Outdoor Junction or latest standard
		Size	13x11x4.5 or above
		Power plug	2 or above power plug and power connection
		Used for	Poe switch/nvr inside protection
13	Multiplug	<ul style="list-style-type: none"> <li>Surge protector</li> <li>Min. 4 port extension</li> <li>Load capacity 2500 watt/10 amp or higher</li> <li>Led indicator</li> </ul>	

2023/02/29

  
 District Engineer  
 प्रमुख प्रशासकीय अधिकृत



14	Network cat 6 cable	<ul style="list-style-type: none"><li>• Full diameter 305mm CAT6 network cable</li><li>• Core diameter: 0.55mm</li><li>• Excellent transmission performance using solid copper</li></ul>	
15	wiring Installation	<ul style="list-style-type: none"><li>• Camera complete wiring and installation per camera</li><li>• Camera installation in road area as well as office building With local network installation</li></ul>	

Note: \*Equivalent to Standard brand Hikvision, TVT, Dahua, UNV, Jovision, etc  
\* 1 Years Standard Warranty in products.  
In case of installation please contact with IT officer, 9862211221 for detailed installation ।

3102/29  
2023/02/29

  
07/02/29  
हिरा कुमारी यादव  
प्रमुख प्रशासकीय अधिकृत